

Hydranty podzemné

	interný kód	priemer/dĺžka	kg/ks
ALUMO PN16	223 156 800 800	80/ 800	24,50
	223 156 801 000	80/1000	36,00
	223 156 801 250	80/1250	43,00
	223 156 801 500	80/1500	49,00
JAFAR PN 16 typ 8851	223 157 800 800	80/ 800	25,50
	223 157 801 000	80/1000	37,00
	223 157 801 250	80/1250	44,00
	223 157 801 500	80/1500	50,00
	223 157 811 000	100/1000	48,00
	223 157 811 250	100/1250	52,00
	223 157 811 500	100/1500	59,00
VAG, HYDRUS	223 156 801 075	80/750	30,00
	223 156 801 100	80/1000	33,00
	223 156 801 125	80/1250	36,00
	223 156 801 150	80/1500	39,00
	223 156 100 100	100/1000	48,00
	223 156 100 125	100/1250	52,00
	223 156 100 150	100/1500	59,00



Hydranty nadzemné

	interný kód	priemer/dĺžka	výtok
ALUMO 2xC	223 155 080 000	80/1250	2xB
	223 155 080 001	80/1250	2xB
JAFAR, tvárna liatina typ 8855	223 158 080 125	80/1250	2xB
	223 158 080 150	80/1500	2xB
	223 158 100 125	100/1250	2xB
	223 158 100 150	100/1500	2xB
	223 158 150 125	150/1250	2xB, 2xA
	223 158 150 150	150/1500	2xB, 2xA
VAG typ NOVA	223 159 080 100	80/1000	2xB
	223 159 080 125	80/1250	2xB
	223 159 080 150	80/1500	2xB
	223 159 100 125	100/1250	2xB, 1xA
	223 159 100 150	100/1500	2xB, 1xA
	223 159 150 125	150/1250	2xB , 2xA
	223 159 150 150	150/1500	2xB , 2xA
VAG typ RIGUS	223 155 080 100	80/1000	2xB
	223 155 080 125	80/1250	2xB
	223 155 080 150	80/1500	2xB
	223 155 100 100	100/1000	2xB
	223 155 100 125	100/1250	2xB
	223 155 100 150	100/1500	2xB
výtokový stojan 8001	223 158 000 025	L-1250	58,00
výtokový stojan 8001	22 315 800 050	L-1500	65,00
zázubec z tvárnej liatiny	223 156 000 005	DN 80	2,80
klúč k nadzemnému hydrantu	223 150 000 002		2,20
t-klúč na šup.a podzem.hydrantu	223 156 000 002	27x27	4,20



Šupátko vodárenské S 24 118 610 EKO-Plus krátká stavební délka F4


PN 10/16	interný kód	DN	L	kg/ks
	223 215 050 000	40	140	8,2
	223 215 050 000	50	150	9,2
	223 215 065 000	65	170	13,5
	223 215 080 000	80	180	15,5
	223 215 100 000	100	190	17,9
	223 215 125 000	125	200	25,7
	223 215 150 000	150	210	32,4
	223 215 200 000	200	230	52,0
	223 215 250 000	250	250	85,5
	223 215 300 000	300	270	114,1
	223 215 350 000	350	290	247,0
	223 215 400 000	400	310	310,0
	223 215 500 000	500	350	530,0
	223 215 600 000	600	390	859,0

Šupátko vodárenské S 24 118 616 EKO-Plus dlouhá stavební délka F5


PN 10/16	interný kód	DN	L	kg/ks
	223 216 050 000	50	250	9,7
	223 216 065 000	65	270	14,5
	223 216 080 000	80	280	16,9
	223 216 100 000	100	300	22,5
	223 216 150 000	150	350	34,7
	223 216 200 000	200	400	56,9
	223 216 300 000	300	500	131,8

Šupátko vodárenské EKO-Plus ,stavební délka ČSN 13 3045, PN 10


	223 142 040 000	40	170	8,5
	223 142 050 000	50	180	9,5
	223 142 065 000	65	200	14,0
	223 142 080 000	80	210	15,5
	223 142 100 000	100	230	19,1
	223 142 125 000	125	255	28,3
	223 142 150 000	150	280	35,5
	223 142 200 000	200	330	60,5

Montážna vložka - MONTY PN 10-16 M 20 110 616 - epoxidový nástrek


	223 139 050 160	50	160	14,0
	223 139 065 160	65	165	19,0
	223 139 080 160	80	180	26,0
	223 139 100 160	100	200	34,0
	223 139 125 160	125	205	42,0
	223 139 150 160	150	210	48,0
	223 139 200 160	200	225	62,0
	223 139 250 160	250	250	83,0

Spätňý ventil s guľou KRV , voda a odpadná voda


	223 169 040 100	50	200	8,0
	223 169 050 100	65	240	9,0
	223 169 080 100	80	260	13,0
	223 169 100 100	100	300	20,0
	223 169 150 000	150	400	42,0
	223 169 200 000	200	500	74,0







Spätňá klapka - RETA PN 10/16 L10117616-epoxidový nástrek, pitná voda, para

sedlo: nerez-pryž






	223 169 050 016	50		10,0
	223 169 065 016	65		14,5
	223 169 080 016	80		18,0
	223 169 100 016	100		27,0
	223 169 150 016	150		53,0
	223 169 200 016	200		82,0
	223 169 250 016	250		124,0

Navrtávacie pásy na PVC a PEHD rúry

	interný kód	Da	G	
K 506 guľový ventil 	223 147 063 100	63	1" , 5/4"	
	223 147 075 100	75	1" , 5/4"	
	223 147 090 000	90	1" , 5/4"	
	223 147 110 100	110	1" , 5/4"	
	223 147 160 100	160	1" , 5/4"	
	223 147 225 100	225	1" , 5/4"	
	223 147 090 200	90	6/4" , 2"	
	223 147 110 200	110	6/4" , 2"	
	223 147 140 200	140	6/4" , 2"	
	223 147 160 200	160	6/4" , 2"	
	223 147 225 200	225	6/4" , 2"	
	223 147 280 200	280	6/4" , 2"	
	223 147 315 200	315	6/4" , 2"	
	K 510 mosadzné šupátko 	223 152 063 100	63	1" , 5/4"
		223 152 075 100	75	1" , 5/4"
223 152 090 100		90	1" , 5/4"	
223 152 110 100		110	1" , 5/4"	
223 152 160 100		160	1" , 5/4"	
223 152 225 000		225	1" , 5/4"	
K 504 liatinové šupátko 	223 124 905 063	63	1" , 5/4"	
	223 124 905 075	75	1" , 5/4"	
	223 124 905 900	90	1" , 5/4"	
	223 124 905 110	110	1" , 5/4"	
	223 124 905 160	160	1" , 5/4"	
	223 124 905 225	225	1" , 5/4"	
	223 124 905 902	90	6/4" , 2"	
	223 124 905 112	110	6/4" , 2"	
	223 124 905 142	140	6/4" , 2"	
	223 124 905 162	160	6/4" , 2"	
	223 124 905 227	225	6/4" , 2"	
	223 127 905 280	280	6/4" , 2"	
	223 124 905 315	315	6/4" , 2"	
	K 507 bez uzáveru 	223 154 090 054	90	5/4"
223 154 110 054		110	5/4"	
223 154 160 054		160	5/4"	
223 154 225 054		225	5/4"	
223 154 090 200		90	2"	
223 154 110 200		110	2"	
223 154 160 200		160	2"	
223 154 225 200		225	2"	
223 154 315 200		315	2"	
K 515 guľový ventil s koncovkou na PE,PP rúry 		223 154 900 063	63	32
	223 154 900 075	75	32	
	223 154 900 090	90	32	
	223 154 900 110	110	32	
	223 154 900 160	160	32	
	223 154 900 225	225	32	
K 516 mosadzné šupátko s koncovkou na PE,PP rúry 	223 154 901 063	63	32	
	223 154 901 075	75	32	
	223 154 901 090	90	32	
	223 154 901 110	110	32	
	223 154 901 160	160	32	
	223 154 901 225	225	32	

Navrtávacie pásy na oceľ,liatinové rúry

H 513 mosadz šupátko	interný kód	d	
	223 149 050 651	50,65 x 1"	
	223 149 050 655	50,65 x 5/4"	
	223 149 080 401	80-500 x 1"	
	223 149 080 454	80-500 x 5/4"	
H 508 guľový uzáver	223 146 050 100	50,65 x 1", 5/4"	
	223 146 080 401	80-500 x 1", 5/4"	
	223 146 080 402	80-500 x 6/4", 2"	
	H 509 bez uzáveru	223 148 050 100	50,65 x 1", 5/4"
	223 148 080 400	80 - 500 x 1", 5/4"	
	223 148 080 402	80 - 500 x 6/4", 2"	
	Strmeň k navrt.p.č.,508,509,513	223 150 050 000	50
H 709	223 150 065 000	65	70-77
	223 150 080 000	80	88-100
	223 150 080 098	80	98-110
	223 150 100 000	100	105-114,113-123
	223 150 100 113	100	123-133
	223 150 125 013	125	130-139,137-150
	223 150 125 014	125	145-157
	223 150 150 000	150	156-166
	223 150 150 166	150	166-178
	223 150 150 170	150	170-182
	223 150 200 185	200	185-198
	223 150 200 000	200	216-228
	223 150 200 223	200	223-235
	223 150 250 000	250	269-280
	223 150 250 275	250	275-287
	223 150 300 000	300	319-333
	223 150 300 327	300	327-337
	223 150 350 000	350	383-393,352-364
	223 150 400 000	400	402-412,406-416
	223 150 400 424	400	424-434
223 150 400 434	400	434-445	
223 150 500 000	500	528-533	



Šupátka pre domové prípojky

BETA ZZ - vnút./vonk.závit	interný kód	d	
liatina	223 143 125 100	1" / 5/4"	
	223 143 132 054	5/4" / 5/4"	
	223 143 140 064	6/4" / 2"	
	223 143 150 200	2" / 2"	
BETA Z - vnút./vnút. závit	223 143 225 034	3/4" / 3/4"	
liatina	223 143 225 100	1" / 1"	
	223 143 232 054	5/4" / 5/4"	
	223 143 240 064	6/4" / 6/4"	
	223 143 150 199	2" / 2"	
BETA K - s koncovkami pre PE, PP a PEX rúry	222 143 000 001	32	
mosadz			

Guľové ventily pre domové prípojky, teleso mosadz

K 248 - Z s vnút.závitom	263 153 400 054	5/4"	
K 246 - K s koncovkami na PE rúry	263 152 100 000	1"	
K 230 - Z s vnút.závitom	263 152 100 033	1"	
K 240 - s vnút./vonk.závitom	263 152 100 034	1"	



Teleskopické zemné súpravy
pre šupátka EKO,BETA


interný kód	DN	Rd
223 121 040 045	40-50	0,75-1,0
223 121 040 052	40-50	0,9-1,3
223 121 040 053	40-50	1,2-1,8
223 121 040 055	40-50	1,7-2,7
223 121 065 075	65-80	0,75-1,0
223 121 065 081	65-80	0,9-1,3
223 121 065 082	65-80	1,2-1,8
223 121 065 087	65-80	1,7-2,7
223 121 100 150	100-150	0,75-1,0
223 121 100 151	100-150	0,9-1,3
223 121 100 152	100-150	1,2-1,8
223 121 100 157	100-150	1,7-2,7
223 121 200 000	200	0,75-1,0
223 121 200 001	200	0,9-1,3
223 121 200 002	200	1,2-1,8
223 121 200 027	200	1,7-2,7
223 121 250 310	250-300	0,75-1,0
223 121 250 350	250-350	0,9-1,3
223 121 250 351	250-350	1,2-1,8
223 121 250 357	250-350	1,7-2,7
223 121 400 150	400-500	1,5-1,8
223 121 400 180	400-500	1,8-2,5
223 121 601 825	600	1,8-2,5

pre HOD navrtávacie pásy

223 121 000 002	25-50	0,75-1,0
223 121 000 710	25-50	0,9-1,3
223 121 000 003	25-50	1,2-1,8
223 121 000 004	25-50	1,7-2,8

Zemné súpravy tuhé
prípojkové




interný kód	DN	Rd
223 121 000 110	25 - 50	1,00
223 121 000 114	25 - 50	1,25
223 121 000 113	25 - 50	1,50
223 121 000 200	25 - 50	2,00

šupátkové - EKO




223 121 080 100	40,50,65,80	1,00
223 121 080 125	40,50,65,80	1,25
223 121 080 150	40,50,65,80	1,50
223 121 050 200	40,50	2,00
223 121 080 200	65,80	2,00
223 121 100 100	100-150	1,00
223 121 100 125	100-150	1,25
223 121 100 150	100-150	1,50
223 121 100 200	100-150	2,00
223 121 200 100	200	1,00
223 121 200 125	200	1,25 ,1,50
223 121 200 200	200	2,00
223 121 250 125	250,300	1,25
223 121 250 150	250,300	1,50
223 121 250 200	250,300	2,00
223 121 350 150	350	1,50
223 121 350 200	350,000	2,00
223 121 400 150	400,500	1,50
223 121 400 200	400,500	2,00

Rd = krycia hĺbka. Zvislá vzdialenosť od ovládacej roviny po hornú hranu rúry osadenej v zemi.




Šupátko EKO Plus, médium odpadná voda a plyn

odpadná voda	interný kód	DN	L
	223 040 050 000	50	150
	223 040 080 000	80	180
	223 040 100 000	100	190
	223 040 150 000	150	210
	223 040 200 000	200	230
	223 040 250 000	250	250
	223 040 300 000	300	270
	223 040 350 000	350	290
	223 040 400 000	400	310
	223 040 500 000	500	350
plyn	interný kód	DN	L
	223 141 040 000	40	140
	223 141 050 000	50	150
	223 141 080 000	80	180
	223 141 100 000	100	190
	223 141 150 000	150	210

Šupátko IKO Plus kovotesniace, vekové s kolečkom/ voda,pára

PN 6	interný kód	DN	L
	223 040 050 016	50	150
	223 040 065 016	65	170
	223 040 080 016	80	180
	223 040 100 016	100	190
	223 040 125 016	125	200
	223 040 150 016	150	210
	223 040 200 016	200	230
	223 040 250 016	250	250
	223 040 300 016	300	270
	PN 10	interný kód	DN
	223 041 050 016	50	150
	223 041 065 016	65	170
	223 041 080 016	80	180
	223 041 100 016	100	190
	223 041 125 016	125	200
	223 041 150 016	150	210
	223 041 200 016	200	230
	223 041 250 016	250	250
	223 041 300 016	300	270

CEREX uzatváracia klapka PN 10/16 pitná,odpad.voda,vzduch

bezprírub.s pákou,disk tvár.liatina	interný kód	DN	L
	223 170 050 000	50	43
	223 170 065 000	65	46
	223 170 080 000	80	46
	223 170 100 000	100	52
	223 170 125 000	125	56
	223 170 150 000	150	56
	223 170 200 000	200	60
	s prevodom a ručným kolom a závitovými dierami	interný kód	DN
	223 170 250 000	250	68
	223 170 300 000	300	78
	223 170 350 000	350	92
	223 170 400 000	400	102
so závit.dierami, disk tvárna liat.	interný kód	DN	L
	223 172 050 000	50	43
	223 172 065 000	65	46
	223 172 080 000	80	46
	223 172 100 000	100	52
	223 172 125 000	125	56
	223 172 150 000	150	56
	223 172 200 000	200/10	60
	223 172 200 016	200/16	60

ZETKA bezprůrubová spätná klapka PN 16

voda, pitná voda



interný kód	DN	L
223 170 040 000	40	33
223 170 050 000	50	43
223 170 065 000	65	46
223 170 080 000	80	64
223 170 100 000	100	64
223 170 125 000	125	70
223 170 150 000	150	76
223 170 200 000	200	89
223 170 250 000	250	114
223 170 300 000	300	114

ZAKA koncová klapka hrdlová

odpadná voda



interný kód	DN
223 170 080 001	80
223 170 100 001	100
223 170 150 001	150
223 170 200 001	200
223 170 250 001	250
223 170 300 001	300

SAK sací a vtokový koš

sací koš



interný kód	DN	PN
223 167 050 000	50	10
223 167 065 000	65	10
223 167 080 000	80	10
223 167 100 000	100	10
223 167 125 000	125	10
223 167 150 000	150	10
223 167 200 000	200	10
223 167 250 000	250	10

vtokový koš



223 167 050 001	50	10
223 167 065 001	65	10
223 167 080 001	80	10
223 167 100 001	100	10
223 167 125 001	125	10
223 167 150 001	150	10
223 167 200 001	200	10
223 167 250 001	250	10
223 167 300 001	300	10

FORTE filter s vypúšťacou prírubou , pitná voda,pára,olej PN10,16

epoxid,pitná voda



interný kód	DN	L
288 340 040 016	40	200
288 340 050 016	50	230
288 340 065 016	65	290
288 340 080 016	80	310
288 340 100 016	100	350
288 340 125 016	125	400
288 340 150 016	150	480
s vypúšťacou zátkou 288 340 200 016	200	600
s vypúšťacou zátkou 288 340 250 016	250	730

syntetický náter

288 340 040 116	40	200
288 340 050 116	50	230
288 340 065 116	65	290
288 340 080 116	80	310
288 340 100 116	100	350
288 340 125 116	125	400
288 340 150 116	150	480
s vypúšťacou zátkou 288 340 200 116	200	600
s vypúšťacou zátkou 288 340 250 116	250	730

VOLANT ručné koleso na víkové šupátka

oceľ, epoxid čierny



interný kód	DN	ihlan
265 100 000 200	40-50	14
265 100 000 250	65-80	17
265 100 000 315	100-150	19
265 100 000 400	200	24
265 100 000 500	250-350	27
265 100 400 500	400-500	32
265 100 000 600	600	36

Membránový regulačný ventil PICO

L

k redukcii výstup.tlaku,základ.prevedenie



268 167 050 000	50/10-16	230
268 167 065 000	65/10-16	290
268 167 080 000	80/10-16	310
268 167 100 000	100 /10-16	350
268 167 125 000	125/10-16	400
268 167 150 000	150 /10-16	480
268 167 200 000	200/10-16	600
268 167 250 000	250/10-16	730
268 167 300 000	300/10-16	710

Navrtávacía súprava

VODOREGULA

Určené: pre navrtávanie vodovodných rúr

Rozmer: 1" až 2"

Rozmer: 1"




Súprava na liat. rúry 1"
Korunkový vrták na PE,PVC rúry 1"
Prechod 1"/M42 k NP so spojkou



Plavákový odvzdušňovač HILL

s vnútorným závitom 1"

s prírubou



	DN	PN
263 160 025 000	25	10
263 160 050 000	50	10
263 160 080 000	80	10

Odvzdušň. a zavzdušňovací ventil DUOJET

základné prevedenie



	DN	závit výstup.
263 161 050 054	50	1 1/4"
263 161 050 002	50	2"
263 161 080 000	80	2"
263 161 100 000	100	2 1/2"
263 161 150 000	150	4"
263 161 200 000	200	4"

ALKA guľový ventil pre cisterny



263 152 100 117	100	L-306
263 152 150 000	150	L-336

TREPI- opravná objímka



interný kód	DN	rozsah
212 256 000 080	DN 80	87-106
212 256 000 100	DN 100	108-126
212 256 000 125	DN 125	135-160
212 256 000 150	DN 150	159-184
212 256 000 200	DN 200	210-240
212 256 000 250	DN 250	260-288
212 256 000 300	DN 300	312-345
212 256 000 350	DN 350	360-390
212 256 000 400	DN 400	410-460
212 256 000 450	DN 450	460-510
212 256 000 500	DN 500	510-570

STOP tesniaca objímka na liatinové hrdlá



223 135 080 000	DN 80
223 135 100 000	DN 100
223 135 125 000	DN 125
223 135 150 000	DN 150
223 135 200 000	DN 200
223 135 250 000	DN 250
223 135 300 000	DN 300
223 135 350 000	DN 350
223 135 400 000	DN 400
223 135 450 000	DN 450
223 135 500 000	DN 500

Spojka istená proti posunu pre všetky štandardné materiály potrubia

SYNOFLEX 7974



interný kód	DN	rozsah
222 230 080 000	80	85-105
222 230 100 000	100	104-132
222 230 125 000	125	131-160
222 230 150 000	150	155-192
222 230 200 000	200	198-230
222 230 225 000	225	230-260
222 230 250 000	250	265-310
222 230 300 000	300	313-356

Spojka s prírubou istením proti posunu pre všetky štandardné materiály potrubia

SYNOFLEX 7994



interný kód	DN	rozsah
222 231 080 000	80	85-105
222 231 100 000	100	104-132
222 231 125 000	125	131-160
222 231 150 000	150	155-192
222 231 200 000	200	198-230
222 231 225 000	225	230-260
222 231 250 000	250	265-310
222 231 300 000	300/10	313-356

U-spojka s istením proti posunu pre PVC a PE rúry

typ 0430



interný kód	DN	rozsah
225 430 080 000	80	90
225 430 100 000	100	110
225 430 150 000	150	160
225 430 200 000	200	200
225 430 225 000	200	225
225 430 250 000	250	250
225 430 300 000	300	315

Prírubová spojka s istením proti posunu pre PVC a PE rúry

typ 0400



interný kód	DN	rozsah
225 400 080 000	80	90
225 400 100 000	100	110
225 400 150 000	150	160
225 400 200 000	200	200
225 400 225 000	200	225
225 400 250 000	250	250
225 400 300 000	300	315

Vodomery domové a bytové



	interný kód	Q3-trvalý prietok	prípoj.rozmer
bytový do 30°C	263 162 353 400	2,5 m ³ /hod L-110	G 1/2" R 3/4"
bytový do 90°C	263 162 200 005	2,5 m ³ /hod L-110	G 1/2" R 3/4"
domový	263 162 420 250	4 m ³ /hod L-165	G 1" R 3/4"
	263 162 114 035	6,3 m ³ /hod L-260	G 5/4" R 1"
	263 162 420 601	10 m ³ /hod L-260	G 5/4" R 1"
	263 162 420 654	10 m ³ /hod L-260	G 6/4" R 5/4"
	263 162 420 210	16 m ³ /hod L-300	G 2" R 6/4"

Závitové pripojovacie časti s mosadz.púzdom



	interný kód	nástavec	prevleč.matica
	263 162 035 012	1/2"	3/4"
krátké 28mm	263 162 035 010	3/4"	1"
	263 162 035 100	3/4"	1"
teleskopický	263 162 035 150	3/4"	cena za ks
	263 162 112 101	1"	5/4"
	263 162 112 031	5/4"	6/4"
	263 162 112 021	6/4"	2"

Vodomery priemyselné MeiStream do 50°C



interný kód	DN	rozsah
263 162 040 120	50	200
263 162 050 120	65	200
263 162 051 082	80	225
263 162 051 105	100	250
263 162 051 125	125	250
263 162 051 150	150	300